Application solutions

Airbag Containers



Automotive / Safety Restraint Systems / Air Bag Systems

Benefits

- Reliable
- Cost effective
- Heat resistant
- Lightweight
- Function integration
- High flowability enables thin wall designs

Print Date: 2024-11-07



Details

Akulon® PA6 is a thermoplastic with high heat resistant properties making it a superior choice for applications such as airbag containers. With a proven track record among OEMs for more than 20 years, Akulon[®] PA6 allows for 40–60% weight reduction versus metal. Because no metal bolts are required, it is a safer alternative to competetive materials. Akulon® Ultraflow grades offer a 25% cycle time advantage and high flowability enabling thinner wall designs.

Products



Seller represents and warrants exclusively that on the date of delivery by Seller the product shall be in conformity with the specifications agreed upon. Seller makes no other representations or warranties, whether express or implied. Seller is not responsible or liable for the design of the products of the Customer and it is the responsibility of the Customer to determine that the Seller's product is safe, complies with application laws and regulations, and is technically or otherwise fit for its intended use. Seller does not endorse or claim suitability of its products for a specific application and disclaims each and every representation or warranty, whether express or implied, in that respect.

Typical values are indicative only and are not to be construed as being binding specifications. Colorants in the product or other additives may cause significant variations in typical

Copyright © Envalior 2024. All rights reserved. No part of the information may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Envalior.