

Audio Jack Connectors

Electronics / Connectors

Print Date: 2025-12-05

Benefits

- Cost-effective
- High flowability
- Low moisture absorption
- Flame retardant



Details

Stanyl® PA46 and ForTii® PA4T are reliable solutions for audio jack connectors due to their mechanical strength outperforming competitive materials for jacks by up to four times, therefore enabling 20,000-plus insertion/extraction cycles. Good processability and high flowability enable thin-walled designs. ForTii PA4T offers great flow than high-performance polyamides (PPA) and equal to liquid crystal polymers (LCP).

Products

ForTii® Eco E11
PPA-GF30 FR(40)

ForTii® K11
PPA-GF30

ForTii® TX1
PPA-GF30 FR(40)

Stanyl® TS200F6
PA46-GF30

Stanyl® HFX61S
PA46-GF35 FR(40)



Seller represents and warrants exclusively that on the date of delivery by Seller the product shall be in conformity with the specifications agreed upon. Seller makes no other representations or warranties, whether express or implied.

Seller is not responsible or liable for the design of the products of the Customer and it is the responsibility of the Customer to determine that the Seller's product is safe, complies with application laws and regulations, and is technically or otherwise fit for its intended use. Seller does not endorse or claim suitability of its products for a specific application and disclaims each and every representation or warranty, whether express or implied, in that respect.

Typical values are indicative only and are not to be construed as being binding specifications. Colorants in the product or other additives may cause significant variations in typical values.

Copyright © Envallor 2025. All rights reserved. No part of the information may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Envallor.