

Chainsaw housings

Consumer goods | Lawn & garden

Print Date: 2024-06-21

Benefits

- Glass-reinforced
- Cost-effective solution
- Easy to process for injection molding and blow molding



Details

Akulon® PA6 is a reliable solution for chainsaw housings and power equipment covers; it withstands a drop test at -30°C (-22°F). It offers an excellent balance of easy design and processing with outstanding mechanical properties over a wide temperature range and in diverse conditions. Just as important are its excellent surface characteristics — Akulon PA6 holds paint very well and looks good.

Products

Akulon® K224-G6
PA6-GF30

Akulon® K224-PG6
PA6-I-GF30

Akulon® K224-TG9
PA6-GF45

Akulon® K224-PG3
PA6-I-GF15

Akulon® Ultraflow K-FG0
PA6-GF50

Speciality products

Akulon® Ultraflow



All the trademarks mentioned here are trademarks of Envalior.

Seller represents and warrants exclusively that on the date of delivery by Seller the product shall be in conformity with the specifications agreed upon. Seller makes no other representations or warranties, whether express or implied.

Seller is not responsible or liable for the design of the products of the Customer and it is the responsibility of the Customer to determine that the Seller's product is safe, complies with application laws and regulations, and is technically or otherwise fit for its intended use. Seller does not endorse or claim suitability of its products for a specific application and disclaims each and every representation or warranty, whether express or implied, in that respect.

Typical values are indicative only and are not to be construed as being binding specifications. Colorants in the product or other additives may cause significant variations in typical values.

Copyright © Envalior 2024. All rights reserved. No part of the information may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Envalior.