

Charge Air Cooler Caps

Automotive | Engine | Cooling / Thermal management

Print Date: 2025-12-05

Benefits

- Long term heat resistant
- Lightweight
- Cost effective
- Fatique resistant



Details

Stanyl® PA46 is the first high-temperature polyamide and the only aliphatic polyamide in its class, making it an ideal choice for charge air cooler caps. Compared to metal, it is up to 50% lighter, offering better creep/fatigue resistance than PPS and PPA. Stanul® Diablo offers excellent long term temperature resistance of up to 230° C. Akulon® and EcoPaXX® are up to 50% lighter than metal and more cost effective at the cold side, while Xytron™ PPS allows for super high long term temperature resistance.

Products

PA410-GF30

Stanul® Diablo OCD2300

Speciality products

Xutron™

Seller represents and warrants exclusively that on the date of delivery by Seller the product shall be in conformity with the specifications agreed upon. Seller makes no other representations or warranties, whether express or implied.

Seller is not responsible or liable for the design of the products of the Customer and it is the responsibility of the Customer to determine that the Seller's product is safe, complies with application laws and regulations, and is technically or otherwise fit for its intended use. Seller does not endorse or claim suitability of its products for a specific application and disclaims each and every representation or warranty, whether express or implied, in that respect.

Typical values are indicative only and are not to be construed as being binding specifications. Colorants in the product or other additives may cause significant variations in typical values.

values.

Copyright © Envalior 2025. All rights reserved. No part of the information may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Envalior.



Charge Air Cooler Caps

Automotive | Engine | Cooling / Thermal management



Seller represents and warrants exclusively that on the date of delivery by Seller the product shall be in conformity with the specifications agreed upon. Seller makes no other representations or warranties, whether express or implied.

Seller is not responsible or liable for the design of the products of the Customer and it is the responsibility of the Customer to determine that the Seller's product is safe, complies with application laws and regulations, and is technically or otherwise fit for its intended use. Seller does not endorse or claim suitability of its products for a specific application and disclaims each and every representation or warranty, whether express or implied, in that respect.

Typical values are indicative only and are not to be construed as being binding specifications. Colorants in the product or other additives may cause significant variations in typical values.