

# EGR sensor

## Automotive / Auto Electronics & Electricals / ECUs, Inverters

Print Date: 2024-06-20

### Benefits

- Sensor measures temperature of EGR (exhaust gas recirculation) and verifies function of EGR valve. Max temperature at tip of 300°C.



### Details

ForTii® PA4T and Stanyl® PA46 allow for reliable solutions due to their high melting point of 325 and 295 °C resulting in no deformation at very high sensor tip temperatures and to their resistance to erosion from contamination in the exhaust stream; ForTii® PA4T and Stanyl® PA4 allow for cost effective solutions versus PEEK, LCP or other PPA

### Products

ForTii® F11  
PPA-GF30 FR(40)

Stanyl® TW200F8  
PA46-GF40

All the trademarks mentioned here are trademarks of Envalior.

Seller represents and warrants exclusively that on the date of delivery by Seller the product shall be in conformity with the specifications agreed upon. Seller makes no other representations or warranties, whether express or implied.

Seller is not responsible or liable for the design of the products of the Customer and it is the responsibility of the Customer to determine that the Seller's product is safe, complies with application laws and regulations, and is technically or otherwise fit for its intended use. Seller does not endorse or claim suitability of its products for a specific application and disclaims each and every representation or warranty, whether express or implied, in that respect.

Typical values are indicative only and are not to be construed as being binding specifications. Colorants in the product or other additives may cause significant variations in typical values.

Copyright © Envalior 2024. All rights reserved. No part of the information may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Envalior.