

Front End Modules

Automotive / Body / Structural Parts

Print Date: 2024-10-15

Benefits

- Injection moulding grades can be combined with advanced thermoplastic composites solutions or with metal inserts.



Details

Akulon® PA6 allows for reliable solutions due to more temperature resistance than PP and better surface appearance than PA66; Akulon® PA6 allows for more cost effective solutions than PA66; Akulon® UltraFlow allows for even more cost effectiveness, since it enables 25% thinner walls and up to 25 % faster moulding cycle times

Products

Akulon® Ultraflow K-FHG0
PA6-GF50

Akulon® Ultraflow K-FHG8
PA6-GF40

Akulon® S223-HG0
PA66-GF50

Akulon® K224-HG8
PA6-GF40

Seller represents and warrants exclusively that on the date of delivery by Seller the product shall be in conformity with the specifications agreed upon. Seller makes no other representations or warranties, whether express or implied.
Seller is not responsible or liable for the design of the products of the Customer and it is the responsibility of the Customer to determine that the Seller's product is safe, complies with application laws and regulations, and is technically or otherwise fit for its intended use. Seller does not endorse or claim suitability of its products for a specific application and disclaims each and every representation or warranty, whether express or implied, in that respect.

Typical values are indicative only and are not to be construed as being binding specifications. Colorants in the product or other additives may cause significant variations in typical values.

Copyright © Envalior 2024. All rights reserved. No part of the information may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Envalior.