

Fuel tank PHEV



Print Date: 2024-08-30

Benefits

- Low Fuel permeation
- Cold impact resistance



Details

As the hybrid vehicle market increases, reducing the complexity of the hybrid fuel tank is key to manufacturers. Using advanced polyamides can reduce the complexity of producing these tanks and create cost savings, thus, you can gain a competitive advantage through greater efficiency and potential cost-savings. At Envalior Engineering Materials, we offer Fuel Lock Technology—an effective and proven solution for superior hybrid fuel tanks. Offering excellent barrier properties in a monolayer material, Fuel Lock Technology offers weight reduction and less post-processing via an injection molding process. Compared to HDPE/EVOH material used for blowmolded tanks, it can combine good mechanical properties and barrier performance in one material. Processing the material by means of plastic injection molding offers the design freedom to apply local reinforcements, make optimal use of the available building space and integrate functional features. Additionally, no secondary operations are needed because features like baffles and pillars are designed into the tank and injection molded together with the fuel tank body.

Products

Akulon® Fuel Lock FL40-HPX2
PA6-I

这里提到的所有商标都是 Envalior 的商标。
卖方独家声明并保证，在卖方交付之日，产品应符合商定的规格。卖方不做出任何其他明示或暗示的陈述或保证。
卖方对客户产品的设计不承担任何责任，客户有责任确定卖方的产品是安全的，符合应用法律和法规，并且在技术上或其他方面适合其预期用途。
卖方不认可或声称其产品适合特定应用，并且否认在这方面的每一项陈述或保证，无论是明示的还是暗示的。

典型值仅供参考，不应被视为具有约束力的规格。产品中的着色剂或其他添加剂可能会导致典型值发生显著变化。

版权所有 © Envalior 2024。保留所有权利。未经 Envalior 事先书面许可，不得以任何形式或任何方式复制、分发或传播信息的任何部分，包括复印、记录或其他电子或机械方法。