

Gears

Automotive

Print Date: 2025-12-05

Benefits

• Envalior is a global leader in the design, engineering and testing of advanced thermoplastic materials for gears and actuation systems. Automakers and other global manufacturers trust Envalior Engineering Materials to improve the performance of complex automotive applications, appliances, consumer goods, and industrial applications. In fact, Stanyl[®] is used in nearly 40 million gears in 100 million automotive actuation systems each year, making it one of the most popular thermoplastic gear materials in the world.



Details

Broad portfolio of high-performance polyamide materials for gears;Stanyl® PA46 grades consistently proven to outperform PA66 and POM;Stanyl® offers comparable but less expensive performance thank PEEK;High-performance Stanyl® grades enable more compact design and lightweighting opportunities;Advanced bio-based EcoPaXX® PA41Ø grades also available for a great combination of performance and sustainability

Products

 Stanyl® TW200F6
 Stanyl® TW341
 Stanyl® TW241F10

 PA46-GF30
 PA46
 Stanyl® TW241F10

 Stanyl® TW241B3
 Stanyl® TW271F6
 Stanyl® TW271B3

 (PA46+PTFE)-GF30
 (PA46+PTFE)-CF15

 Stanyl® TW271B6
 Stanyl® TW278F10
 Stanyl® TW241F12

 (PA46+PTFE)-GF30
 PA46-GF60

Seller represents and warrants exclusively that on the date of delivery by Seller the product shall be in conformity with the specifications agreed upon. Seller makes no other representations or warranties, whether express or implied.

Seller is not responsible or liable for the design of the products of the Customer and it is the responsibility of the Customer to determine that the Seller's product is safe, complies with

Selien's not responsible or include for the design of the product is safe, complies with application laws and regulations, and is technically or otherwise fit for its intended use. Selien does not endorse or claim suitability of its products for a specific application and disclaims each and every representation or warranty, whether express or implied, in that respect.

Typical values are indicative only and are not to be construed as being binding specifications. Colorants in the product or other additives may cause significant variations in typical values.