

Headlight trim cover



Print Date: 2025-12-05

Benefits

- Low Outgassing
- Surface appearance textured
- Thermal conductive
- Resistance to cocal sunlight (Sunload protection)
- Optical solutions



Details

Arnite® XL-T is a reliable choice for applications such as LED headlight lighting modules and lensholders due to its heat deflection temperature (HDT) of 250° C, its thermoconductivity, and its low outgassing behavior. The excellent textured surface finish of Arnite® XL-T in dark colors allows for high design freedom. Arnite® XL-T is a cost effective and lightweight solution when compared to PES, PEI and PPA because aluminum heatshields are not necessary.

Products

Arnite® AV2 370 XL-T
PET-GF35

卖方独家声明并保证，在卖方交付之日，产品应符合商定的规格。卖方不做出任何其他明示或暗示的陈述或保证。
卖方对客户产品的设计不承担任何责任，客户有责任确定卖方的产品是安全的，符合应用法律和法规，并且在技术上或其他方面适合其预期用途。
卖方不认可或声称其产品适合特定应用，并且否认在这方面的每一项陈述或保证，无论是明示的还是暗示的。

典型值仅供参考，不应被视为具有约束力的规格。产品中的着色剂或其他添加剂可能会导致典型值发生显著变化。

版权所有 © Envalior 2025。保留所有权利。未经 Envalior 事先书面许可，不得以任何形式或任何方式复制、分发或传播信息的任何部分，包括复印、记录或其他电子或机械方法。