

Infotainment System Fakra Connector

Electronics / Connectors

Print Date: 2025-12-05

Benefits

- There is an enormous increase in infotainment systems – connected cars ForTii® Ace JTX8 can be processed, blistering free under high temperature reflow soldering. ForTii® Ace JTX8 is the only polyamide material meeting JEDEC1 level at all thicknesses. Stable DK performance up to 10GHz. Full coloring range and highest color stability after reflow. High stiffness retention during reflow (Tp=260c). Superior chemical resistance.



Details

ForTii® Ace JTX8 enables FAKRA connectors with highest signal integrity; High toughness performance in plug rib, leading no cracking after insertion. Highest pullout force vs. other PPAs; Withstands high-temperature reflow soldering and no blister formation under JEDEC1 conditions.

Products

ForTii® Ace JTX8
PPA-GF30

Speciality products

ForTii® Ace



Seller represents and warrants exclusively that on the date of delivery by Seller the product shall be in conformity with the specifications agreed upon. Seller makes no other representations or warranties, whether express or implied.

Seller is not responsible or liable for the design of the products of the Customer and it is the responsibility of the Customer to determine that the Seller's product is safe, complies with application laws and regulations, and is technically or otherwise fit for its intended use. Seller does not endorse or claim suitability of its products for a specific application and disclaims each and every representation or warranty, whether express or implied, in that respect.

Typical values are indicative only and are not to be construed as being binding specifications. Colorants in the product or other additives may cause significant variations in typical values.

Copyright © Envalior 2025. All rights reserved. No part of the information may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Envalior.