

Leafblower

Consumer goods / Lawn & garden

Print Date: 2024-03-14

Benefits

- Increased output power of 10%
- Combines high strength and rigidity with excellent processing characteristics
- Wide portfolio available, including unreinforced, reinforced and flame retardant grades



Details

Arnite® XT is a reliable solution for power equipment such as leafblowers due to its excellent temperature and chemical resistance. It has high dimensional stability due to its low moisture absorption and a very low and constant coefficient of linear thermal expansion that is comparable to aluminum. Envalior's unique technology enables it to produce Arnite XT to narrow specifications. For example, glass fiber content specified to 35.0 +/- 1.0% versus a minimum 2.0% margin in competitive products.

Products

Arnite® AV2 370 /B
PET-GF35

Speciality products

Arnite®



All the trademarks mentioned here are trademarks of Envalior.
Seller represents and warrants exclusively that on the date of delivery by Seller the product shall be in conformity with the specifications agreed upon. Seller makes no other representations or warranties, whether express or implied.
Seller is not responsible or liable for the design of the products of the Customer and it is the responsibility of the Customer to determine that the Seller's product is safe, complies with application laws and regulations, and is technically or otherwise fit for its intended use. Seller does not endorse or claim suitability of its products for a specific application and disclaims each and every representation or warranty, whether express or implied, in that respect.

Typical values are indicative only and are not to be construed as being binding specifications. Colorants in the product or other additives may cause significant variations in typical values.

Copyright © Envalior 2024. All rights reserved. No part of the information may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Envalior.