

Phone case

Consumer goods | Mobile Phones

Print Date: 2024-07-03

Benefits

- Product designers and manufacturers increasingly rely on thermoplastic elastomer (TPE) material solutions to produce and deliver highly durable and high-quality soft touch parts. Compared to the thermoplastic polyurethane (TPU) materials traditionally used for soft-touch manufacturing, TPEs offer better resistance to warpage and fatigue, as well as better protection against UV, chemical, and oil exposure.



Details

Broad tactile properties with superior touch and feel;Broadest operating temperature range from -45°C to 150°C ;High tear and abrasion resistance;High fatigue endurance after 255 compression cycles

Products

Arnitel® ECO L460
TPC

Arnitel® EM460
TPC-ET

Arnitel® ECO L400
TPC

Arnitel® EE8479
TPC-ET

Arnitel® EL250
TPC-ET

Arnitel® EM400
TPC-ET

Speciality products

Arnitel®

All the trademarks mentioned here are trademarks of Envalior.
 Seller represents and warrants exclusively that on the date of delivery by Seller the product shall be in conformity with the specifications agreed upon. Seller makes no other representations or warranties, whether express or implied.
 Seller is not responsible or liable for the design of the products of the Customer and it is the responsibility of the Customer to determine that the Seller's product is safe, complies with application laws and regulations, and is technically or otherwise fit for its intended use. Seller does not endorse or claim suitability of its products for a specific application and disclaims each and every representation or warranty, whether express or implied, in that respect.

Typical values are indicative only and are not to be construed as being binding specifications. Colorants in the product or other additives may cause significant variations in typical values.

Copyright © Envalior 2024. All rights reserved. No part of the information may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Envalior.