

Suspension System Top Mounts

Automotive | Body | Structural Parts

Print Date: 2024-10-15

Benefits

 Envalior Engineering Materials supported a lot with high-speed tensile property data.



Details

Akulon® (UltraFlow) PA6 and Stanyl® PA46 yield up to 50% weight reduction and a NVH advantage versus metal; Akulon® (UltraFlow) PA6 and Stanyl® PA46 allow for reliable solutions due to its good compatibility with the expansion rubber/foam applied on the moulded parts: Akulon® UltraFlow PA6 50%GF allows for a more cost effective solution than PA66 50%GF; Stanyl® PA46 allows for a more cost effective solution than PPA and PPS

Products

Seller represents and warrants exclusively that on the date of delivery by Seller the product shall be in conformity with the specifications agreed upon. Seller makes no other representations or warranties, whether express or implied.

Seller is not responsible or liable for the design of the products of the Customer and it is the responsibility of the Customer to determine that the Seller's product is safe, complies with application laws and regulations, and is technically or otherwise fit for its intended use. Seller does not endorse or claim suitability of its products for a specific application and disclaims each and every representation or warranty, whether express or implied, in that respect.

Typical values are indicative only and are not to be construed as being binding specifications. Colorants in the product or other additives may cause significant variations in typical