

Tractor Engine Transmission Components

Industrial equipment / Agriculture

Print Date: 2025-12-05

Benefits

- For high-temperature mechanics up to 220°C (428°F)
- Design stiffness
- Enables thin-walled designs
- 60% glass-reinforced



Details

Stanyl® PA46 is a reliable solution for tractor engine transmission components due to better mechanical properties and fatigue resistance at elevated temperatures, as compared to PA66 and PPA. It allows for cost-effective solutions due to short injection molding cycle times and its high flowability. Akulon® PA6 is proven in air intake manifolds.

Products

Stanyl® TW241F12
PA46-GF60

Seller represents and warrants exclusively that on the date of delivery by Seller the product shall be in conformity with the specifications agreed upon. Seller makes no other representations or warranties, whether express or implied.
Seller is not responsible or liable for the design of the products of the Customer and it is the responsibility of the Customer to determine that the Seller's product is safe, complies with application laws and regulations, and is technically or otherwise fit for its intended use. Seller does not endorse or claim suitability of its products for a specific application and disclaims each and every representation or warranty, whether express or implied, in that respect.

Typical values are indicative only and are not to be construed as being binding specifications. Colorants in the product or other additives may cause significant variations in typical values.

Copyright © Envallor 2025. All rights reserved. No part of the information may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Envallor.