

Window profiles

Building & construction | Window systems

Print Date: 2024-04-16

Benefits

- Enables efficient processing
- Bio-based (nearly 70% is made from the tropical castor bean plant)
- Window profiles made with EcoPaXX comply with EN14024



Details

EcoPaXX® PA410 is a lightweight, sustainable choice compared to traditional aluminum window profiles. It is a reliable solution due to its high melting point of 250°C (482°F), making the material suitable for the powder-coating process. Manufacturers can increase the energy efficiency of buildings — important not only for users but for environmental product declarations.

Products

EcoPaXX® Q-HG6
PA410-GF30

Speciality products

EcoPaXX®



All the trademarks mentioned here are trademarks of Envalior.

Seller represents and warrants exclusively that on the date of delivery by Seller the product shall be in conformity with the specifications agreed upon. Seller makes no other representations or warranties, whether express or implied.

Seller is not responsible or liable for the design of the products of the Customer and it is the responsibility of the Customer to determine that the Seller's product is safe, complies with application laws and regulations, and is technically or otherwise fit for its intended use. Seller does not endorse or claim suitability of its products for a specific application and disclaims each and every representation or warranty, whether express or implied, in that respect.

Typical values are indicative only and are not to be construed as being binding specifications. Colorants in the product or other additives may cause significant variations in typical values.

Copyright © Envalior 2024. All rights reserved. No part of the information may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of Envalior.